MSDS ID: WBC2.0

SECTION I. Chemical Product and Company Identification

Product Name: Standard Dry Chemical Fire Extinguishant (Standard Dry Chemical BC Fire Extinguisher)

Synonym: Sodium Bicarbonate Dry Chemical, (STD) (BC POWDER EXTINGUISHER)

BC CHEMICAL FIRE EXTINGUISHER, BC EXTINGUISHER

STORED PRESSURIZED (NITROGEN) DRY POWDER BC FIRE EXTINGUISHER

Manufacturer: SARSAM / WEIROC FIRE EXTINGUISHERS

921 ARDMORE AVE

ITASCA, IL 60143

Phone; 313-887-1281

Web Address: www.weirocfire.com

Email Address: info@weirocfire.com

Recommended Use: Fire Suppression, not for human or animal drug use.

Emergency: 800-535-5053 (INFOTRAC Emergency)

Revision Date: 11/20/15

MSDS ID: WBC2.0

SECTION II. Hazard Identification and Emergency Overview

GHS – Classification:

Eye Irritation: Class 2B

Skin Irritation: Class 3

Inhalation: Class 5

GHS Label Elements:



Hazard Symbols:

Signal Word: WARNING

Hazard Statements:

H313 May be harmful in contact with skin

H320 Causes eye irritation

H333 May be harmful if inhaled

Precautionary Statements:

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P234 Keep in original container

P251 Pressurized container; do not pierce of burn, even after use

P261 Avoid breathing dust

Material Name: BC Dry Chemical Powder and Nitrogen

P264	Wash hands and face thoroughly after handling		
P270	Do not eat, drink, or smoke when using this product		
P281	Use personal protective equipment as required		
P285	In case of inadequate ventilation, wear respiratory protection		
P301+322+331 If swallowed, drink 2-3 glasses of water and do NOT induce vomiting			

302+352 If on skin, wash with soap and water

304+313+341 If inhaled, and if distress occurs, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice/attention.

305+351+338 If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and continue to rinse.

337+313 If eye irritation persist, get medical advice / attention

P401+402+403 Store in original container or extinguisher in a dry, well ventilated place

SECTION III. Composition/Information on Ingredients

This Product is a mixture

Chemical Name	Weight %*	CAS#
Sodium Bicarbonate Silica Stannous Ocetate	97 < 3 < .3	144-55-8 7631-86-9 301-10-0

3

MSDS ID: WBC2.0

Material Name: BC Dry Chemical Powder and Nitrogen

MSDS ID: WBC2.0

Silicone < .1 63148-57-2

(Methylhydrogen Siloxane)

Nitrogen Not applicable

• % is rounded to the nearest appropriate number. Values are not to be considered product specifications

SECTION IV. First Aid Measures

<u>Eye Exposure</u>- Flush eyes with water until pain-free. If irritation develops or persists, seek medical attention.

<u>Skin Exposure</u>- Wash with plenty of soap and water. If irritation develops or persists, seek medical attention.

<u>Inhalation</u>- Move victim to fresh air. If irritation develops or persists, seek medical attention.

<u>Ingestion</u>- If victim is conscious and alert, give 2-3 glasses of water to drink. Do not induce vomiting. If vomiting occurs and the victim is conscious, give additional water to further dilute the chemical. Prevent aspiration of swallowed product by laying victim on side with head lower than their waist. Seek medical attention. Do not leave victim unattended.

Medical Conditions Possibly Aggravated by Exposure- Inhalation of the product may aggravate existing chronic respiratory conditions such as asthma, emphysema, or bronchitis. Contact with the skin may aggravate an existing skin disease. Chronic overexposure may cause pneumoconiosis ("Dusty Lung" disease).

MSDS ID: WBC2.0

SECTION V. Firefighting Measures

Extinguishing Media: N/A. This product is an extinguishing agent. It is nonflammable and noncombustible.

Special Firefighting Procedures: N/A

Unusual Fire and Explosion Hazards: This product may decompose in fire and release carbon monoxide and carbon dioxide (Refer to Section X).

Sensitivity to Mechanical Impact or Static Discharge: None

SECTION VI. Accidental Release Measures

In case of accidental release, use the appropriate respiratory protection. Clean up the product using a vacuum or wet sweep and shovel to minimize the generation of dust. Bag or drum the product for disposal. If the product is used and/or contaminated, use personal protective equipment and containment means that are appropriate for the composition of the mixture. Product should be prevented from entering waterways.

SECTION VII. Handling and Storage

Avoid eye, respiratory, and skin exposure. Use the appropriate personal protective equipment when handling. Wash thoroughly after handling (Refer to Section VIII). Product should be stored in its original container or extinguisher. When the product is contained under pressure (e.g., an extinguisher), inspect the container for rust or damage that may compromise the container integrity. Do not store the product in high humidity and do not mix with other extinguishing agents.

MSDS ID: WBC2.0

SECTION VIII. Exposure Controls and Personal Protection

EXPOSURE GUIDELINES:

PNOC: - Particulates not otherwise classified

NR: = Not Regulated

	OSHA PEL	ACGIH TLV
Sodium Bicarbonate	PNOC	PNOC
	Total Dust- 15mg/m	Total Dust- 10mg/m
	Respirable Fraction- 5mg/m	Respirable Fraction-3gm/m
SILICA	6mg/m	10mg/m
Stannous octoate	.1mg/m	.1mg/m
Silicone	NR	NR

During the use of this product on fires, exhaust gases and products of incomplete combustion are the main respiratory hazards. In the manufacture of this product, employers and employees must use their collective judgment in determining the on-the-job settings where the use of a dust mask or respirator is prudent. The need for respiratory protection is not likely for short-term use in well-ventilated areas.

Respiratory Protection: Use an N-95 dust mask for limited exposures and use airpurifying respirators with high efficiency particulate air filters (HEPA filters) for prolonged exposures.

Eye Protection: Wear chemical goggles or full-face air-purifying respirator.

Skin Protection: Use nitrile, latex, or similar gloves and coveralls to minimize exposure. Good personal hygiene practices are essential. After handling the product, avoid food, tobacco products, or other means of transferring the product from hand to mouth until after thoroughly washing.

SECTION IX. Physical and Chemical Properties

Appearance and Odor: White fine powder that is odorless.

Apparent Density: 0.90

6

SDS PN (WEIROC FIRE): 22851770, 22851772, 22989386

Material Name: BC Dry Chemical Powder and Nitrogen

Solubility: The product is coated with water repellant silicone. Not immediately soluble

in water.

pH: Approximately 8 - 9 for a 1% solution

Flash Point: N/A

Flammability: N/A

Vapor Pressure: N/A

Boiling Point: N/A

Exposure or Oxidizing Properties: None

SECTION X. Stability and Reactivity

Stability: Stable

Incompatibles: Reacts with strong acids to form carbon dioxide, creating a possible asphyxiation hazard. Hazardous reaction may occur from contact with monoammonium phosphate or sodium potassium.

Decomposition Products: This product may decompose in fire and release carbon monoxide and carbon dioxide, and sulfur dioxide. Oxides of phosphorous and ammonia have been reported

Hazardous Polymerization: Will not occur

Hazardous Reactions: None

7

MSDS ID: WBC2.0

MSDS ID: WBC2.0

SECTION XI. Toxicological Information

Acute Toxicity: Sodium bicarbonate LD50 (rat): 4220mg/kg body weight.

TDLo (infant): 1260 mg/kg body weight, symptoms include pulmonary and kidney damage.

Target organs in humans: respiratory system, and eyes. This product is a mild irritant to eyes and respiratory system. No indication that the product causes sensitization.

Chronic Toxicity: Pneumoconiosis, or "Dusty Lung" disease, may result from chronic exposure to any dust.

Reproductive Toxicity: The reproductive system was not found to be a target or hazard to any reproductive effects. Intraperiotoneal TDLo (mouse) 40mg/kg body weight, teratogen

SECTION XII. Ecological Information

Ecotoxicity: No known negative effects.

Degradability: Degrades rapidly in wet or humid environment.

Bioaccumulation: Little, extent unknown.

Mobility in Soil: Water-soluble. May leech in to groundwater.

SECTION XIII. Considerations for Disposal

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal regulations. Be aware that product used on a fire may be altered or contaminated and thereby require different disposal considerations. No EPA Waste Numbers are applicable for this product's components.

MSDS ID: WBC2.0

SECTION XIV. Transportation Information

This product is not defined as a hazardous material under U.S. Department of Transportation 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Please Note: Although these materials (sodium bicarbonate & Nitrogen) are not considered hazardous independently, when contained in a stored pressure fire extinguisher, pressurized with a nonflammable gas (NITROGEN), the extinguisher itself is considered hazardous material by the U.S. Department of Transportation (USDOT) and Transport Canada (TC). Packaging of the fire extinguisher shall be identified with the Proper Shipping Name (Fire Extinguisher) and the UN Identification Number (UN 1044). The USDOT hazard class is LIMITED QUANTITY when pressurized to less than 241psig and when shipped via highway or rail. Use Class 2.2, Non-Flammable Gas, when shipping via air. The USDOT hazard class/division is 2.2 Nonflammable Gas. Packing Group = N/A BE ADVISED:

(US DOT INFORMATION)

SHIPPING NAME: Fire Extinguishers

UN # UN1044

Required Labels: 2, Non-Flammable Gas

(TDG INFORMATION)

SHIPPING NAME: Fire Extinguishers

UN# UN1044

Required Labels: 2, Non-Flammable Gas

<MARITIME & AVIATION TRANSPORTATION>

International Marine Transport (IMO/IMDG):

INTERNATIONAL MARITIME ORGANIZATION (IMO)
INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Material Name: BC Dry Chemical Powder and Nitrogen

MSDS ID: WBC2.0

Division: 2.2 EmS: F-C,S-V UN-No: 1044

Special Provisions: 225

Proper Shipping Name: Fire extinguishers

International Air Transport (ICAO/IATA):

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA) INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO)

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Division: 2.2

Packaging Instructions (cargo only): 213

Packaging Instructions (passenger & cargo): Forbidden

Special Provisions: A19

UN-No: 1044

Proper Shipping Name: Fire extinguishers

U.N. Number: UN1044

UN proper shipping name: FIRE EXTINGUISHERS

Transport hazard class(es): 2.2

Packaging Method: 3.8.2

Packing Group EPG Number: 2C2 IERG Number: 06

IMDG Marine Pollutant: No

Road and Rail Transport (ADG Code): AUSTRALIA

This material is classified as Dangerous Goods Division 2.2 - Non-flammable Non-toxic Gases according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Division 2.2 Dangerous Goods are incompatible in a placard load with any of the following:

- Class 1, Explosives

Division 2.1 Flammable Gases when the Division 2,2 gas has a subsidiary risk

MSDS ID: WBC2.0

5.1 except when all are packed in cylinders or pressure drums not exceeding 500L capacity.

Division 2.3 Toxic Gases when the Division 2,2 gas

has a subsidiary risk 5.1 except when all are packed in cylinders or pressure drums not exceeding $500L\,$

capacity.

- Division 4.2, Spontaneously Combustible Substances
- Division 5.2, Organic Peroxides

SECTION XV. Regulatory Information

International Inventory Status: All ingredients are on the following inventories

County Agency USA TSCA Canada DSL

EUROPE EINECS/ELINCS

AUSTRALIA AICS JAPAN MITI S. KOREA KECL

European Risk and Safety Phrases:

EU Classification- Harmful

R Phrases- 22 Harmful is swallowed

36/37 Irritating to eyes and respiratory system

S Phrases- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

U.S. Federal Regulatory Information:

None of the chemicals in this product are under SARA reporting requirements or have SARA Threshold Planning Quantities or CERCLA Reportable Quantities, or are regulated under TSCA 8(d).

MSDS ID: WBC2.0

State Regulatory Information:

Chemicals in this product are covered under the specific State regulations noted:

Alaska Designated Toxic and Hazardous Substances-none

California Permissible Exposure Limits for Chemical Contaminants-none

Florida Substance list-Mica dust

Illinois Toxic Substance List-none

Kansas Section 302/303 list-none

Massachusetts Substance list-Mica dust

Minnesota List of Hazardous Substances-None

Missouri Employer Information/Toxic Substance List-none

New Jersey Right to know Hazardous Substance List-none

N. Dakota List of Hazardous Chemicals, Reportable Quantities- none

Rhode Island Hazardous Substance List-Mica dust

Pennsylvania Hazardous Substance List-none

Texas Hazardous Substance List-none

West Virginia Hazardous Substance List-none

Wisconsin Hazardous Substance List-none

California Proposition 65- No component is listed on the California Proposition 65 List

* Nitrogen appears on the following State Hazardous Substance List (7727-37-9): CALIFORNIA

Material Name: BC Dry Chemical Powder and Nitrogen

MSDS ID: WBC2.0

SECTION XVI. Other Information

This Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

HMIS RATINGS:

Health 1

Flammability 0

Reactivity 0

Personal Protective Equipment: use N-95 dust mask (See Section 8)

<u>WHMIS</u> (Canadian Workplace Hazardous Materials Identification):

NONE

The information contained herein is given in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made.